

Making surgical excellence universally accessible

# **Cranial Series**

Surgical Training Technologies for Cranial Neurosurgery

**Interactive Brochure 2024** 



#### PterionalBox

Neurosurgical simulator for frontotemporal approaches to the anterior and middle cranial fossa equipped with mobile AR and navigation.



#### TemporalBox

3

9

Neurosurgical simulator for temporal approaches to the middle cranial fossa equipped with mobile AR and navigation.



5

8

11

#### RetrosigmoidBox

4

7

10

Neurosurgical simulator for retrosigmoid approaches to the posterior cranial fossa equipped with mobile AR and navigation.



#### **BrainTumorBox**

Neurosurgical simulator of glioblastoma resection equipped with 5-ALA, active bleeding, ultrasound compatibility, mobile AR and navigation.



**TNS** Box Neurosurgical simulator for endoscopic approaches to a pituitary adenoma, equipped

with mobile AR.



#### **InterhemisphericBox** 6

approaches to the midline equipped with mobile AR and navigation.



#### **SuboccipitalBox**

Neurosurgical simulator for suboccipital approaches to the craniocervical junction equipped with mobile AR and navigation.



AneurysmBox PterionalBox (see above) enhanced with 5 clippable aneurysms.



FluorescentBox AneurysmBox (see above) enhanced

with 5-ALA, Fluorescein and ICG

fluorescence.

Mycro 12 Training System for microvascular Anastomosis and Microsutures.



#### NavigationHead 13 Tool for enabling compatibility of PterionalBox,

AneurysmBox and FluorescentBox with head clamps and standard neuronavigation.





## PterionalBox

Frontotemporal approaches to the anterior and middle cranial fossa

Augmented Reality App
 Mobile/Standard Navigation
 Disposable Skulls

#### What you can explore

II: Optic Nerve
CA: Internal Carotid Artery
ACA: Anterior Cerebral Artery
A1: First segment of ACA
AcomA: Anterior Communicating Artery
MCA: Middle Cerebral Artery
III: Oculomotor Nerve
PComA:Posterior Communicating Artery
PCA: Posterior Cerebral Artery
Ophthalmic Artery
Pituitary Stalk
Perforating Arteries
Lamina Terminalis
Insula Heubner Artery (origin)
Optic Chiasm
Basilar Tip

#### Augmented Reality App

Get the Neurosurgery App to explore 3D models, learn the procedure with Augmented Reality, navigate and much more.

#### Mobile/Standard Navigation

Use the NavigationPen<sup>\*</sup> in conjunction with the Neurosurgery App for mobile neuronavigation. Alternatively, use the NavigationFrame<sup>\*\*</sup> along with the included MRI or the NavigationHead<sup>\*\*</sup> with the included MRI for standard neuronavigation.



\* Included with the Box
\*\* NavigationFrame and NavigationHead are sold separately.
Check the compatibility with your navigation technology.

### Disposable Skulls

Perform craniotomies, dural openings, and reconstructions using the Pterional-Skull. Then replace it and start again.



Reusable

Back to li



Skull Disposable





### TemporalBox

Temporal approaches to the middle cranial fossa

Augmented Reality App
 Mobile/Standard Navigation
 Disposable Skulls

#### What you can explore

II: Optic Nerve

ICA: Internal Carotid Artery

ACA: Anterior Cerebral Artery

AComA: Anterior Communicating Artery

III: Oculomotor Nerve

PComA:Posterior Communicating Artery

PCA: Posterior Cerebral Artery

Pituitary Stalk

Perforating Arteries

Optic Chiasm

Basilar Tip

Basal vein

Internal Cerebral veins

Vein of Galeno

SCA: Superior Cerebellar Artery

IV: Trochlear nerve

Mesencephalus

Tentorium

Middle skull base fossa

Temporal lobe



#### Mobile/Standard Navigation

Use the NavigationPen\* in conjunction with the Neurosurgery App for mobile neuronavigation. Alternatively, use the NavigationFrame\*\* along with the included MRI or the NavigationHead\*\* with the included MRI for standard neuronavigation.

\* Included with the Box

\*\* NavigationFrame and NavigationHead are sold separately. Check the compatibility with your navigation technology.

### Augmented Reality App

Get the Neurosurgery App to explore 3D models, learn the procedure with Augmented Reality, navigate and much more.

#### **Disposable Skulls**

Perform craniotomies, dural openings, and reconstructions using the Temporal Skull. Then replace it and start again.





Skull Disposable

Back to Index

Up**Surge**On

### RetrosigmoidBox

Retrosigmoid approaches to the posterior cranial fossa

Augmented Reality App
 Mobile/Standard Navigation
 Disposable Skulls

#### What you can explore

III: Oculomotor Nerves PComA:Posterior Communicating Artery PCA: Posterior Cerebral Artery Pituitary Stalk Perforating Arteries Basilar artery Vertebral artery SCA: Superior Cerebellar Artery AICA: Anterior Inferior Cerebellar Artery PICA: Posterior Inferior Cerebellar Artery Mammillary bodies IV: Trochlear nerve V: Trigeminal nerve VI: Abducens nerve VII/VIII: Facial/vestibular nerves IX-X-XI: Mixed cranial nerves XII: Hypoglossal nerve Mesencephalus Pons Medulla oblongata Tentorium Posterior skull base fossa



#### Mobile/Standard Navigation

Use the NavigationPen\* in conjunction with the Neurosurgery App for mobile neuronavigation. Alternatively, use the NavigationFrame\*\* along with the included MRI or the NavigationHead\*\* with the included MRI for standard neuronavigation.

\* Included with the Box

\*\* NavigationFrame and NavigationHead are sold separately. Check the compatibility with your navigation technology.

#### Augmented Reality App

Get the Neurosurgery App to explore 3D models, learn the procedure with Augmented Reality, navigate and much more.

#### **Disposable Skulls**

Perform craniotomies, dural openings, and reconstructions using the Retrosigmoid Skull. Then replace it and start again.



Back to Index



Skull Disposable



InterhemisphericBox

Interhemispheric approaches to the midline

Augmented Reality App
 Mobile/Standard Navigation
 Disposable Skulls

#### What you can explore

Mid frontal hemisphere

Mid parietal hemisphere

Third and fourth segment of the anterior

cerebral artery (ACA)

Corpus callosum



#### Mobile/Standard Navigation

Use the NavigationPen\* in conjunction with the Neurosurgery App for mobile neuronavigation. Alternatively, use the NavigationFrame\*\* along with the included MRI or the NavigationHead\*\* with the included MRI for standard neuronavigation.

\* Included with the Box

\*\* NavigationFrame and NavigationHead are sold separately. Check the compatibility with your navigation technology.

### Augmented Reality App

Get the Neurosurgery App to explore 3D models, learn the procedure with Augmented Reality, navigate and much more.

#### **Disposable Skulls**

Perform craniotomies, dural openings, and reconstructions using the Interhemispheric Skull. Then replace it and start again.





Skull Disposable



© UpSurgeOn 2024. All rights reserved. Interactive Brochure 2024 Version 1.6

#### 6 Cranial Series



### SuboccipitalBox

Suboccipital approaches to the craniocervical junction

Augmented Reality App
 Mobile/Standard Navigation
 Disposable Skulls

#### What you can explore

Basilar artery Vertebral artery SCA: Superior Cerebellar Artery

AICA: Anterior Inferior Cerebellar Artery

PICA: Posterior Inferior Cerebellar Artery

- Mammillary bodies
- V: Trigeminal nerve
- VII/VIII: Facial/vestibular nerves
- IX-X-XI: Mixed cranial nerves
- XII: Hypoglossal nerve
- Mesencephalus

Pons

Medulla oblongata

Posterior skull base fossa







### Mobile/Standard Navigation

Use the NavigationPen\* in conjunction with the Neurosurgery App for mobile neuronavigation. Alternatively, use the NavigationFrame\*\* along with the included MRI or the NavigationHead\*\* with the included MRI for standard neuronavigation.

\* Included with the Box

\*\* NavigationFrame and NavigationHead are sold separately. Check the compatibility with your navigation technology.

#### Augmented Reality App

Get the Neurosurgery App to explore 3D models, learn the procedure with Augmented Reality, navigate and much more.

#### **Disposable Skulls**

Perform craniotomies, dural openings, and reconstructions using the Suboccipital Skull. Then replace it and start again.





Skull Disposable



© UpSurgeOn 2024. All rights reserved. Interactive Brochure 2024 Version 1.6

Back to Index

## **BrainTumorBox**

Bleeding 5-ALA-enhanced Glioblastoma for US-guided resection

- 🗐 Augmented Reality App
  - Mobile/Standard Navigation
- ත<sup>්</sup> Ultrasound

Disposable Skulls / Cartridges

#### What you can do

Learn how to handle microsurgical instruments

Learn how to perform perform a white matter dissection

Learn how to perform a microsurgical resection under the microscope/exoscope

Learn how to perform an ultrasound guided resection

Learn how to manage intraoperative bleeding


Resect and remove a fluorescence-guided (5-ALA) intraparenchymal glioblastoma with epicenter in the frontal white matter



### Fluorescence: 5ALA

With the BrainTumorBox you can resect a intraparenchymal glioblastoma guided by 5-ALA fluorescence and Ultrasounds.





### Mobile/Standard Navigation

Use the NavigationPen<sup>\*</sup> in conjunction with the Neurosurgery App for mobile neuronavigation. Alternatively, use the NavigationFrame<sup>\*\*</sup> along with the included MRI.

\* Included with the Box \*\* NavigationFrame is sold separately. Check the compatibility with your navigation technology.

### Augmented Reality App

Get the Neurosurgery App to explore 3D models, learn the procedure with Augmented Reality, navigate and much more.

#### **Disposable Cartridges and Skulls**

Perform a craniotomy and remove the tumor. Then replace the cartridge and the skull and start again.







Skull Disposable Cartridges Disposable





### AneurysmBox

Aneurysm clipping

Augmented Reality App
 Mobile/Standard Navigation
 Disposable Skulls

AneurysmBox is a PterionalBox (p. 3) with the addiction of 5 aneurysms.

#### What you can do

II: Optic Nerve

CA: Internal Carotid Artery

ACA: Anterior Cerebral Artery

A1: First segment of ACA

AcomA: Anterior Communicating Artery

MCA: Middle Cerebral Artery

III: Oculomotor Nerve

PComA:Posterior Communicating Artery

PCA: Posterior Cerebral Artery

Ophthalmic Artery

Pituitary Stalk

Perforating Arteries

Lamina Terminalis

Insula Heubner Artery (origin)

Optic Chiasm

Basilar Tip

#### Aneurysm Cases

Case 1: Middle Cerebral Artery;

Case 2: Basilar Tip;

Case 3: Carotid Bifurcation;

Case 4: Anterior Communication Artery;

Case 5: Posterior Communication Artery;

#### 9 Cranial Series

#### Mobile/Standard Navigation

Use the NavigationPen\* in conjunction with the Neurosurgery App for mobile neuronavigation. Alternatively, use the NavigationFrame\*\* along with the included MRI or the NavigationHead\*\* with the included MRI for standard neuronavigation.

\* Included with the Box

\*\* NavigationFrame and NavigationHead are sold separately. Check the compatibility with your navigation technology.

### Augmented Reality App

Get the Neurosurgery App to explore 3D models, learn the procedure with Augmented Reality, navigate and much more.

#### **Disposable Skulls**

Perform craniotomies, dural openings, and reconstructions using the Pterional-Skull. Then replace it and start again.





Disposable





## FlourescentBox

5-ALA, Fluorescein and ICG fluorescence

Augmented Reality App
 Mobile/Standard Navigation
 Disposable Skulls

FluorescentBox is an AneurysmBox (p. 9) with the addiction of 5-ALA, Fluorescein, ICG and fluorescence.

#### What you can explore

FluorescentBox is designed to simulate 3 different fluorescences:


#### FLUORESCEIN, 5ALA and ICG

Fluorescein: 1 deep frontal tumor glioma

5ALA: 1 superficial insular glioma

**ICG**: 5 fluorescent (ICG) aneurysms in different locations (Carotid bifurcation, MCA, AComA, PComA, Basilar tip)

With the FluorescentBox you can explore all the anatomy of the PterionalBox and all 5 aneurysmsof the AneurysmBox.



### Mobile/Standard Navigation

Use the NavigationPen\* in conjunction with the Neurosurgery App for mobile neuronavigation. Alternatively, use the NavigationFrame\*\* along with the included MRI or the NavigationHead\*\* with the included MRI for standard neuronavigation.

\* Included with the Box

\*\* NavigationFrame and NavigationHead are sold separately. Check the compatibility with your navigation technology.

### Augmented Reality App

Get the Neurosurgery App to explore 3D models, learn the procedure with Augmented Reality, navigate and much more.

### **Disposable Skulls**

Perform craniotomies, dural openings, and reconstructions using the Pterional-Skull. Then replace it and start again.



Reusable



Skull Disposable





## TNSBox

Endoscopic Transsphenoidal approaches to a pituitary adenoma

Nobile endoscope and instruments included

Se Augmented Reality App

Disposable Cavities

#### What you can do


Polyposis

Septal Cartilage
Vomer
Mucosa
Perpendicular plate of Ethmoid Bone
Sphenoidal Crest
Nasal Cavity
Inferior Choana
Middle Choana
Superior Choana
Sphenoid Sinus
Pituitary Tumor

#### Augmented Reality App

Get the Neurosurgery App to explore 3D models, learn the procedure with Augmented Reality, navigate and much more.





#### **Disposable Cavities**

Prepare the nasal cavities and perform an adenoma resection tumor. Then replace the cavity and start again.

TNSBox is available with two different Disposable Cavities:

Disposable Cavity with Pituitary Tumor Disposable Cavity with Pituitary Tumor and Polyposis



Reusable



Cavities Disposable



11 Cranial Series



### Mycro

Training System for microvascular Anastomosis and Microsutures

Se Augmented Reality App

**Disposable Vessels** 

#### What you can do


Learn how to handle microsurgical instruments

Learn how to perform a watertight anastomosis on 1 mm and 2 mm vessels

Learn how to perform a watertight dural microsuture

Integrate Mycro with the Box suite to simulate deep and inclined surgical fields

Mycro has disposable vessels for bypass and membranes for dural microsutures.





#### **Augmented Reality App**

Get the Neurosurgery App to explore 3D models, learn the procedure with Augmented Reality, navigate and much more.

#### **Disposable Vessels**

Thanks to the disposable vessels, available in 1mm and 2mm diameter. unlimited practice is possible. The vessels feature the adventitia and blood flow.







Vessels Disposable







### NavigationHead

Head clamp and standard neuronavigation of PterionalBox, AneurysmBox and FluorescentBox

#### What you can explore

Neuronavigation is a technology that helps neurosurgeons design the best trajectory to an intracranial pathology. It allows you to place your scenario<sup>\*</sup> inside of it, fix the head with a head holder and carry out Neuronavigation.

MRI with different pathologies included (depending on the scenario)

Compatible with any neuronavigation system

\* The pterional approaches are sold separately.



#### **Compatible Boxes**

NavigationHead is compatible with all the Pterional Approaches: PterionalBox AneurysmBox FluorescentBox



#### **Disposable Skulls**

Perform craniotomies, dural openings, and reconstructions using the Pterional-Skull. Then replace it and start again.





Skull Disposable



© UpSurgeOn 2024. All rights reserved. Interactive Brochure 2024 Version 1.6

**`**∩Up**Surge**On

## Contact

For direct purchase or if you need assistance in setting up your Lab or organizing a course, feel free to contact us for a tailored quotation. **Click here to submit a request** 



This button sends an email to commercial@upsurgeon.com

### EUROPE

UpSurgeOn S.r.l. Via Cascina Venina 7, 20057 Assago (MI), Italy

### Follow us

UpSurgeOn is a hi-tech company specialized in psychomotor skill augmentation in microsurgeries through the use of bleeding-edge virtual and physical simulation technologies.







